


# 2009 Sundance Spas 780 Dover

## Specifications




|  |   |
|--|---|
| <b>Dimensions:</b> .....                     | 69" x 82" x 30.5" (175.5 cm x 208.5 cm x 77.5 cm)   |
| <b>Seating Capacity:</b> .....               | 2-3 Adults  |
| <b>Dry Weight:</b> .....                     | 620 lbs (281 kg)  |
| <b>Filled Weight:</b> .....                  | 3,124 lbs (1417 kg)   |
| <b>Water Capacity (Avg. Fill):</b> .....     | 300 US Gal (1136 Liters)  |
| <b>Controls:</b> .....                       | 780 Series Solid-State Electronic Controls with Led Readout, Programmable Temperature, Filtration, Heat Cycles  |
| <b>Water Delivery:</b> .....                 | 1 High-flow pump  |
| <b>Pump 1:</b> .....                         | North America (60 Hz): 2-Speed/1.5 HP Continuous, 13.0A Max.<br><b>Export (50 Hz): 2-Speed/2.0 HP Continuous, 8.0A max.</b>   |
| <b>Pump 2:</b> .....                         | 24-Hour Filter/Circulation Pump   |
| <b>Total Hydrojets:</b> .....                | <b>22</b>   |
| <b>Adirondack Lounge Jets (A):</b> .....     | 6 SMT Fluidix, 2 SMT  |
| <b>Contour Seat Jets (B):</b> .....          | 3 SMT   |
| <b>Accu-ssage Seat Jets (C):</b> .....       | 9 Accu-Pressure, 2 SMT Micro  |
| <b>Air Controls/Massage Selectors:</b> ..... | 3/1; Diverter and Air Control with LED Light Rings  |
| <b>Filter:</b> .....                         | MicroClean Filter System, 125 ft <sup>2</sup> Combined Filtration, (1 pleated and 1 spun-bound cartridge)   |
| <b>Water Treatment:</b> .....                | Automatic Brominator and 24-Hour Circulation Pump; Ozone Adaptable  |
| <b>Lighting:</b> .....                       | Standard Multicolored SunRay LED Light  |
| <b>Synthetic Cabinet:</b> .....              | Available in Sierra, Coastal, Birchwood, and Mahogany   |
| <b>Shell Colors:</b> .....                   | North America: Platinum, Sand, Celestite, Sahara, Oyster, Copper Sand, Twilight, Graphite<br><b>Export (50 Hz): All North America Colors</b>  |
| <b>Handrails:</b> .....                      | Not Available   |
| <b>ComforTone Headrests:</b> .....           | Three, 1-Piece Gray   |
| <b>Heater:</b> .....                         | North America Convertible Model (60 Hz): Low Flow, 1 kW@120 VAC or Convertible to 4 kW@240 VAC<br><b>Export (50 Hz): Low flow, 2.7 kW</b>   |
| <b>Electrical Requirements:</b> .....        | North America Convertible Model (60 Hz): 120 VAC@15A with Supplied GFCI Cord or 240 VAC@30A or 40A (Hard Wired Only);<br><b>Export (50 Hz): 230-240 VAC@20A or 30A or suitably Rated Circuit Breaker to Comply with Local Electrical Regulations. Certain Countries May Require Dual Power Inputs; Two GFCI/RCD Breakers are Required for This Configuration.</b> |
| <b>Limited Warranty*:</b> .....              | North America (60 Hz): 10 Years Shell, 7 Years Shell Surface, 5 Years Plumbing Component Leaks, 5 Years Equipment and Controls, 2 Years Jets, 5 Years Cabinet, 2 Years Jets<br><b>Export (50 Hz): 10 Years Shell, 7 Years Shell Surface, 2 Years Plumbing Component Leaks, 2 Years Equipment and Controls, 2 Years Jets, 2 Years Cabinet</b>                      |
| <b>Waterfall Feature:</b> .....              | On/Off Flow Rate; Colored Lighting  |
| <b>Special Features:</b> .....               | Not Available   |
| <b>Inground Model:</b> .....                 | Not Available   |

\*(See Warranty Document for Specific Details)

Dimensions/Specifications Subject To Change Without Notice


# 2009 Sundance Spas 780 Dover

## Operation/New Features



- (A)** Air Control - Adjusts all Adirondack Lounge Jets (6 SMT Fluidix, 2 SMT)
- (B)** Massage Selector [Pump 1]- Adjusts Massage Level Between Adirondack Lounge Jets + Contour Seat Jets and Accu-Ssage Therapy Seat Jets
- (C)** Air Control - Adjusts All Contour Seat Jets (3 SMT)
- (D)** Waterfall Selector [24-Hour Circulation Pump] - Controls Waterfall Output
- (E)** Air Control - Adjusts All Accu-Ssage Therapy Jets (9 Accu-Pressure Jets, 2 SMT Micro)

### 22 Total Jets





Spa Operation Subject To Change Without Notice

## NEW FOR 2009!




Dimensions/Specifications Subject To Change Without Notice

# 2009 Sundance Spas 780 Dover

## Portable Dimensions



**IMPORTANT! Always measure each hot tub for exact dimensions BEFORE designing its foundational support and/or decking.**



Dimensions/specifications subject to change without notice. Tolerance: ± 0.5" (1.27 cm)

Dimensions/Specifications Subject To Change Without Notice